


1/8


Figure 1



BEST AVAILABLE COPY

2/8


Figure 2



BEST AVAILABLE COPY


3/8

Figure 3



4/8

Figure 4 Genomic loci, motifs and splicing



BEST AVAILABLE COPY

Figure 5 homologies

Amino acid alignment of mouse and human Endoglycan, Podocalyxin, and CD34:

[illegible]

```


-----EAPSPJPIITTVQASFPILLVATYCHORISORQOQBLTELQVINTX 54
-----RSDTQVFWVITGVICFIIIVGALTRQORPPLKSHGCEAPVFNCH 55
-----RSDTQVFWVITGVICFIIIVGALTRQORPPLKSHGCEAPVFNCH 55
QDQISGYSKTLVATLITVQALITGLTGTPTLAKRNSFETGSRGDFPYTHCGG 60
      :  :  :  :  :  :  :  :  :  :  :  :  :  :  :  :  :  :  :  :  :  :  :
INPLYVASTP-SBQKQKYNVINGELB--DSHIVJLNLITODLSE-----SEDTHL 104
INPLYVASTP-SBQKQKYNVINGELB--DSHIVJLNLITODLSE-----SEDTHL 104
INPLYVASTP-SBQKQKYNVINGELB--DSHIVJLNLITODLSE-----SEDTHL 110
QGVSSGPAAP--RTOGRNVTRGAQNTGQATSRGSHGAKRQVIA-----DTL 109
QGVSSGPAAP--RTOGRNVTRGAQNTGQATSRGSHGAKRQVIA-----DTL 109
QGVSSGPAAP--RTOGRNVTRGAQNTGQATSRGSHGAKRQVIA-----DTL 109

```



6/8

Figure 6

The anti-mEndoglycan Antibody is Specific for Endoglycan




7/8 Figure 7



8/8

Figure 8

Failure of Endoglycan to Inhibit mast cell aggregation



BEST AVAILABLE COPY